

Work Order ID 86196

June-22-12 1:56:13 PM

86196

Page 1

Item ID: K591-113

Accept

N900040100

Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Short Step Instln Kit

Start Date: 22/06/2012 Start Qty: 10.00

10

Cust Item ID:

Required Date: 06/07/2012 Req'd Qty: 10.00

10

Customer:

Reference:

Approvals: Process Plan: MLJ

Date: 12/06/22 Tooling:

Date:

Run Start ***NR1***

QC:

Date:

SPC (Y/N):

Date:

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

DSI9525

A

104

Pick Kit

0.00

104

Packaging

Memo

0.00

Packaging

105

QC4- 100% Inspect kits for completeness

0.00

105

QC

Memo

0.00

Quality Control

110

Identify as per dwg & Stock Location: _____

0.00

110

Packaging

Memo

CHG005

0.00

Packaging

PPP 86196

12/08/14

12/08/14

DAS 16 28 12/08/14 @CMO

12/08/14

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 86196

86196

Page 2

June-22-12 1:56:13 PM

Item ID: K591-113

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Short Step Instln Kit

Start Date: 22/06/2012 Start Qty: 10.00

10

Cust Item ID:

Required Date: 06/07/2012 Req'd Qty: 10.00

10

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start *NR1*

QC:

Date:

SPC (Y/N):

Date:

Stop *NR2*

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID Tool # Plan
Code

Accept Reject Reject Insp.
Qty Qty Number Stamp

120

QC21- Final Inspection - Work Order Release

0.00

120

QC

Memo

0.00

Quality Control

MLJ 12/08/21
MLJ 12/08/21

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

June-22-12 1:56:16 PM

Page 1

Work Order ID: 86196

86196

Parent Item: K591-113

K591-113

Parent Item Name: Short Step Instln Kit

Start Date: 22/06/2012

Required Date: 06/07/2012

Start Qty: 10.00

Required Qty: 10.00

Comments:

IPP: C04.11.09ReformatKJ/JLM
as per revG DD 10.04.20 verified by:EC
586 10.06.18 DD verf:EC

IPP Rev:D
IPP Rev:E as per ECN10-

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D2171 Manufactured No

104 Each 9.0000

2
**

20
9x
B86359

D2171
Glamp

Location

Loc Qty

Loc Code

ST457

9

84198

9

D2274 Manufactured No

104 Each 759.0000

4
**

40

D2274
Radius Block

Location

Loc Qty

Loc Code

ST007

759

78233

2

81958

96

83258

210

84199

251

85455

200

D2182B Manufactured No

104 f 122.8682

0.5833

5.833

D2182B
Rubber Cushion

** B86201

12/8/16

Location

Loc Qty

Loc Code

ST410

122.86817

63413

1.6

66063

41.61817

73932

79.65

(D2182B035) GUT 2 AT 3.50"

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

June-22-12 1:56:16 PM

Page 2

Work Order ID: 86196

86196

Parent Item: K591-113

K591-113

Parent Item Name: Short Step Instln Kit

Start Date: 22/06/2012

Required Date: 06/07/2012

Start Qty: 10.00

Required Qty: 10.00

D2362-3 Manufactured No

104 Each 1.0000

D2362-3

Support Bracket

**

10.9
B8619451

Location

Loc Qty

Loc Code

ST484

1

76077

1

D3595-200-300 Manufactured No

104 Each 156.5006

D3595-200-300

RUBBER CUSHION

**

10

Location

Loc Qty

Loc Code

MAT052

37.3336

41360

37.3336

ST415

119.167

76552

29.167

84209

90

AN3-37A Purchased No

104 Each 467.0000

AN3-37A

Bolt

**

20

Location

Loc Qty

Loc Code

ST353

467

117619

4

119086

463

AN4-21A Purchased No

104 Each 23.0000

AN4-21A

Bolt

**

40

Location

Loc Qty

Loc Code

ST359

23

118706

23

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

June-22-12 1:56:17 PM

Work Order ID: 86196

Parent Item: K591-113

Parent Item Name: Short Step Instln Kit

86196

K591-113

Start Date: 22/06/2012

Required Date: 06/07/2012

Start Qty: 10.00

Required Qty: 10.00

AN4-22A Purchased No

104 Each 167.0000

Sa *AN4-22A*

Bolt

1
**

10
9

[Handwritten signature]

Location

Loc Qty

Loc Code

ST359 167
116419 49
118628 68
120930 50

AN960JD10 NAS1149D0363J Purchased No

104 Each 0.0000

Sa *AN960JD10*

Washer

4
**

40
20

11/2/24/30

AN960JD416 NAS1149D0463J Purchased No

104 Each 31.0000

Sa *AN960JD416*

Washer

6
**

60
30

11/2/24/15

Location

Loc Qty

Loc Code

ST351 31
116289 10
119097 21

MS2104213 Purchased No

104 Each 3,570.000

Sa *MS2104213*

Nut

2
**

20
18

12/8/15

Location

Loc Qty

Loc Code

ST300 1570
117885 32
119017 816
119075 138
121444 584
ST317 2000
122141 2000

AS

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

June-22-12 1:56:17 PM

Page 4

Work Order ID: 86196

Parent Item: K591-113

Parent Item Name: Short Step Instln Kit

86196

K591-113

Start Date: 22/06/2012

Required Date: 06/07/2012

Start Qty: 10.00

Required Qty: 10.00

MS21042L4

Purchased

No

104

Each

2,558.000



12/8/15

Sq Nut *MS21042I 4*

Location

Loc Qty

Loc Code

ST300

2558

119075

116

121011

193

121444

1949

121652

300

45

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS D350-591 REV. G
AND INSTRUCTIONS FOR CONTINUED AIRWORTHINESS ICA-D350-591 REV. 3

REF TCCA STC: SH92-6
REF FAA STC: SH967NE

PURPOSE:

TO PROVIDE AN OPTIONAL CUSHION KIT TO BE INSTALLED ON THE D350-591-111A/-113/-115/-117A/-119 *Heli-Access-Step*™ (THE D2856-400-720 ABRASION STRIP IS REPLACED WITH THE D3595-200-300 CUSHION).

CHANGE:

FOR D350-591-111A/-113/-115 @ CHG 005 (OR LATER), D350-591-117A @ CHG 003 (OR LATER) AND D350-591-119 @ CHG 004 (OR LATER), THE PARTS LIST OF INSTALLATION INSTRUCTIONS D350-591 AND INSTRUCTIONS FOR CONTINUED AIRWORTHINESS ICA-D350-591 IS AMENDED AS FOLLOWS:


QTY -111A	QTY -113	QTY -115	QTY -117A	QTY -119	Part Number	Description
X					D350-591-111A	Heli-Access-Step™, Long Step – High Skid
	X				D350-591-113	Heli-Access-Step™, Short Step – High Skid
		X			D350-591-115	Heli-Access-Step™, Short Step – Low Skid
			X		D350-591-117A	Heli-Access-Step™, Pre-Flight Step
				X	D350-591-119	Heli-Access-Step™, Long Step – Low Skid
	1				D2310	STEP ASSEMBLY (HIGH-SHORT)
1					D2311	STEP ASSEMBLY (HIGH-LONG)
		1			D2354	STEP ASSEMBLY (LOW-SHORT)
				1	D2355	STEP ASSEMBLY (LOW-LONG)
4	2	2	2	2	D2171	CLAMP
4	2	2	2	2	D2182B035	CUSHION
8	4	4	4	4	D2274	RADIUS BLOCK
			1		D2362-041	SUPPORT BRACKET
2	1			1	D2362-3	SUPPORT BRACKET
		1			D2362-5	SUPPORT BRACKET
2	1	1	1	1	D3595-200-300	CUSHION (NEW)
2	2	2		2	AN3-37A	BOLT
		4			AN4-20A	BOLT (REPLACED, WAS AN4-16A)
8	4			4	AN4-21A	BOLT (REPLACED, WAS AN4-20A)
1	1	1	4	1	AN4-22A	BOLT
4	4	4		4	NAS1149D0363J	WASHER (OR AN960JD10)
10	6	2	4	6	NAS1149D0463J	WASHER (OR AN960JD416)
		4			NAS1149D0416J	WASHER (OR AN960JD416L)
2	2	2		2	MS21042L3	NUT
9	5	5	4	5	MS21042L4	NUT

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: 
D. SHEPHERD (DE # 02)

DATE: 10.06.08
CERT. NO.: SH92-6
ISSUE NO.: 11

A	NEW ISSUE.	JPH	10.06.08
REV.	DESCRIPTION	BY	DATE
DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9525	SHEET 1 OF 4
APPROVED		TITLE	SCALE
DE APPR.		STEP CUSHION CHANGE	NTS
DATE	10.06.08	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 8101916
MLJ
12/06/22

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

THE DSI-9525-XXX KITS THAT ARE AVAILABLE FROM DART TO UPGRADE THE D350-591-111A/-113/-115 KITS @ CHG 004 (OR EARLIER), THE D350-591-117A KIT @ CHG 002 (OR EARLIER) AND THE D350-591-119 KIT @ CHG 003 (OR EARLIER) ARE AS FOLLOWS:

QTY -011	QTY -013	QTY -015	QTY -017	Part Number	Description
X				DSI-9525-011	STEP CUSHION KIT (FOR D350-591-111A)
	X			DSI-9525-013	STEP CUSHION KIT (FOR D350-591-113/-119)
		X		DSI-9525-015	STEP CUSHION KIT (FOR D350-591-115)
			X	DSI-9525-017	STEP CUSHION KIT (FOR D350-591-117A)
2	1	1	1	D3595-200-300	CUSHION
		4		AN4-20A	BOLT
8	4			AN4-21A	BOLT
			4	AN4-22A	BOLT
8	4	4	4	NAS1149D0463J	WASHER (OR AN960JD416)
8	4	4	4	MS21042L4	NUT

INSTRUCTIONS:

TO INSTALL THE D3595-200-300 CUSHION:

1. REMOVE THE STEP PER ICA-D350-591 SECTION 32.2
2. REMOVE THE D2856-400-720 ABRASION STRIP PER ICA-D350-591 SECTION 32.4
3. POSITION THE D3595-200-300 CUSHION AS INDICATED ON SHEET 3 OR 4 (AS APPLICABLE) OF THIS SERVICE INSTRUCTION.
4. REINSTALL THE STEP PER ICA-D350-591 SECTION 32.1 AS APPLICABLE USING THE NEW HARDWARE PROVIDED AS SHOWN ON SHEET 3 OR 4 (AS APPLICABLE) OF THIS SERVICE INSTRUCTION.

WEIGHT AND BALANCE:

THERE IS A NEGLIGIBLE WEIGHT INCREASE WITH THIS MODIFICATION.

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: 
D. SHEPHERD (DE # 02)

DATE: 10.06.08
CERT. NO.: SH92-6
ISSUE NO.: 11

DESIGN	40	DART AEROSPACE LTD	
DRAWN	1	HAWKESBURY, ONTARIO, CANADA	
CHECKED	1	DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9525	SHEET 2 OF 4
APPROVED	10	TITLE	SCALE
DE APPR.	11	STEP CUSHION CHANGE	NTS
DATE	10.06.08	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

261916


Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ **PAR #:** _____ **Fault Category:** _____ **NCR: Yes No** **DQA:** _____ **Date:** _____
Resolution: _____ **Disposition:** _____ **QA: N/C Closed:** _____ **Date:** _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries



SECTION C-C: CENTER SUPPORT
(D350-591-111A ONLY)
(NOT TO SCALE)



SECTION D-D: AFT ATTACHMENT
(D350-591-111A/-113/-119 ONLY)
(NOT TO SCALE)



SECTION E-E: AFT ATTACHMENT
(D350-591-115 ONLY)
(NOT TO SCALE)

FIGURE 32-9: Crosstube Attachment
REF ICA-D350-591






FIGURE 9: Crosstube Attachment
REF D350-591

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: *[Signature]*
D. SHEPHERD (DE # 02)

DATE: 10.06.08
CERT. NO.: SH92-6
ISSUE NO.: 11

DESIGN		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN			
CHECKED		DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9525	SHEET 3 OF 4
APPROVED		TITLE	SCALE
DE APPR.		STEP CUSHION CHANGE	NTS
DATE	10.06.08	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD			

96198

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ **PAR #:** _____ **Fault Category:** _____ **NCR:** Yes No **DQA:** _____ **Date:** _____
Resolution: _____ **Disposition:** _____ **QA: N/C Closed:** _____ **Date:** _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries




FIGURE 32-10: D350-591-117A Heli-Access-Step™, Pre-Flight Step

REF ICA-D350-591

FIGURE 10: D350-591-117A Heli-Access-Step™, Pre-Flight Step






REF D350-591

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: *[Signature]*
D. SHEPHERD (DE # 02)

DATE: 10.06.08
CERT. NO.: SH92-6
ISSUE NO.: 11

DESIGN		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN			
CHECKED		DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9525	SHEET 4 OF 4
APPROVED		TITLE	SCALE
DE APPR.		STEP CUSHION CHANGE	NTS
DATE	10.06.08	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

26196

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ **PAR #:** _____ **Fault Category:** _____ **NCR: Yes No** **DQA:** _____ **Date:** _____
Resolution: _____ **Disposition:** _____ **QA: N/C Closed:** _____ **Date:** _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS D350-591 REV. G
AND INSTRUCTIONS FOR CONTINUED AIRWORTHINESS ICA-D350-591 REV. 3

REF TCCA STC: SH92-6

REF FAA STC: SH967NE

REFERENCE ONLY

PURPOSE:

TO PROVIDE AN OPTIONAL CUSHION KIT TO BE INSTALLED ON THE D350-591-111A/-113/-115/-117A/-119 *Heli-Access-Step™* (THE D2856-400-720 ABRASION STRIP IS REPLACED WITH THE D3595-200-300 CUSHION).

CHANGE:

FOR D350-591-111A/-113/-115 @ CHG 005 (OR LATER), D350-591-117A @ CHG 003 (OR LATER) AND D350-591-119 @ CHG 004 (OR LATER), THE PARTS LIST OF INSTALLATION INSTRUCTIONS D350-591 AND INSTRUCTIONS FOR CONTINUED AIRWORTHINESS ICA-D350-591 IS AMENDED AS FOLLOWS:






QTY -111A	QTY -113	QTY -115	QTY -117A	QTY -119	Part Number	Description
X					D350-591-111A	Heli-Access-Step™, Long Step - High Skid
	X				D350-591-113	Heli-Access-Step™, Short Step - High Skid
		X			D350-591-115	Heli-Access-Step™, Short Step - Low Skid
			X		D350-591-117A	Heli-Access-Step™, Pre-Flight Step
				X	D350-591-119	Heli-Access-Step™, Long Step - Low Skid
	1				D2310	STEP ASSEMBLY (HIGH-SHORT)
1					D2311	STEP ASSEMBLY (HIGH-LONG)
		1			D2354	STEP ASSEMBLY (LOW-SHORT)
				1	D2355	STEP ASSEMBLY (LOW-LONG)
4	2	2	2	2	D2171	CLAMP
4	2	2	2	2	D2182B035	CUSHION
8	4	4	4	4	D2274	RADIUS BLOCK
			1		D2362-041	SUPPORT BRACKET
2	1			1	D2362-3	SUPPORT BRACKET
		1			D2362-5	SUPPORT BRACKET
2	1	1	1	1	D3595-200-300	CUSHION (NEW)
2	2	2		2	AN3-37A	BOLT
		4			AN4-20A	BOLT (REPLACED, WAS AN4-16A)
8	4			4	AN4-21A	BOLT (REPLACED, WAS AN4-20A)
1	1	1	4	1	AN4-22A	BOLT
4	4	4		4	NAS1149D0363J	WASHER (OR AN960JD10)
10	6	2	4	6	NAS1149D0463J	WASHER (OR AN960JD416)
		4			NAS1149D0416J	WASHER (OR AN960JD416L)
2	2	2		2	MS21042L3	NUT
9	5	5	4	5	MS21042L4	NUT

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: 
D. SHEPHERD (DE # 02)

DATE: 10.06.08
CERT. NO.: SH92-6
ISSUE NO.: 11

A	NEW ISSUE.	JPH	10.06.08
REV.	DESCRIPTION	BY	DATE
DESIGN		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN			
CHECKED		DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9525	SHEET 1 OF 4
APPROVED		TITLE	SCALE
DE APPR.		STEP CUSHION CHANGE	NTS
DATE	10.06.08	<small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

